



Signal® Mirror Replacement Sheet

2014-2016 Silverado/ GMC Sierra *Signal*® Mirror



PROBLEMS OR QUESTIONS?

Technical Assistance is available by calling
Muth Mirror Systems Technicians at:

1-800-844-6616

Monday through Friday
Between 8:00 a.m. and 5:00 p.m. CST

Or through the Muth web site: www.muthco.com

Or via E-mail: techsupport@muthco.com


Part Numbers - Complete Kit:

THE safety accessory of the 21st Century.™

Signal® mirror Replacement – Always wear Safety Glasses (or goggles) & Sturdy Gloves.
Signal® mirror replacement is possible without removing the mirror housing from the vehicle.



Signal® Mirror Replacement



1) Apply protective tape on old glass surface to protect from breaking glass during removal process. Push on the bottom edge of the old mirror to manually pivot the top fully outward. Insert a clip removal tool into the gap between mirror and mirror housing, slowly press to release mirror from motor actuator. Disconnect mating harness and heater wires from original mirror and remove mirror.

2) Connect the mating connector on the new mirror and reconnect the heater wires to the heater terminals on the back of the new Signal® mirror. **NOTE: There is no polarity so the wires may be interchanged.**

2a) If replacing electrochromic (EC) mirror, use the supplied jumper harness

3) Align the Signal® mirror motor mount with the motor actuator in the mirror housing closest to the upper edge of the housing. Slowly push downward until motor mount snaps onto motor actuator. **CAUTION: Press down on all sides to ensure the new Signal® mirror is fully seated and functional. Not doing so, could result in new Signal® mirror falling off.**

PROFESSIONAL INSTALLATION RECOMMENDED

Warranty does not cover damage to vehicle or mirror housing due to improper installation. Muth Mirror Systems, LLC (MMS) assumes no responsibility with regard to the accuracy of this information. MMS assumes no liability or responsibility resulting from improper installation, even in reliance upon this information. Proper installation is the responsibility of the installer. It is your responsibility to verify any circuit before interfacing with it using a digital multimeter.

WARRANTY STATEMENT

The Signal® Mirror is warranted to be free from defects in materials and workmanship for a period of three years or 36,000 miles (whichever comes first) from date of sale to original purchaser. This warranty excludes labor, broken glass, or other situations that cause harm to the product after it has been shipped from the factory, such as damage, unreasonable use, modifications, or alterations. In the event of a defect, Muth reserves the right to evaluate the problem through Quality Control and, at Muth's discretion, replace the defective product. Any warranty or replacement part will be charged to the customer when shipped. Credit will be given when the defective part is returned to and received by Muth, and the replacement is warranted.

Muth products are protected by these, and other pending, United States Patents: 6,076,948; 6,257,746; 7,104,676; 7,327,321; 6,749,325; 7,241,037; 7,192,172; 7,273,307; 7,416,318; 6,045,243; D394,833; D409,540; D428,373; D426,506; D430,088; D426,507; D428,372; D429,202; D428,842; D425,466; D427,128